

Work Order ID 164936

164936

Page 1

Wednesday, August 09, 2017 3:44:45 PM

Item ID: D3278-2

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Support

Start Date: 9/19/2017 Start Qty: 40.00

40

Cust Item ID:

Required Date: 9/28/2017 Req'd Qty: 40.00

40

Customer:

Reference:

Approvals:

Process Plan:

Date: AUG 09 2017

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3278	Rev C								
100		0.00							
100	SHEAR								
Bandsaw	Memo	0.77							
Jeaspa Bandsaw	Cut blank at 2.550" long								
110		0.00							
110	HAAS CNC VERTICAL MACHINING #1								
HAAS 5AXIS	Memo	9.40							
HAAS CNC vertical machine #5	1- Machine as per Folio FA405 and Dwg D3278								
	2- Deburr and break all sharp edges								
120		0.00							
120	QC2- Inspect parts off machine FAI/FAIB								
QC	Memo	0.40							
Quality Control									

DAS
14
9-89

DAS
14
9-89

DAS
14
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Work Order ID 164936

Wednesday, August 09, 2017 3:44:45 PM

164936

Page 2

Item ID: D3278-2 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Support
 Start Date: 9/19/2017 Start Qty: 40.00 ***40*** Cust Item ID:
 Required Date: 9/28/2017 Req'd Qty: 40.00 ***40*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.80				<u>2</u>	<u>0</u>		DAS 44 9-89 17-09-11
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.79				<u>2</u>	<u>0</u>		2017-09-11 JSL
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum M 13804. Memo START TIME: 3:25 FINISH TIME: 8:00	0.00 0.46				<u>2</u>	<u>0</u>		1709-11 JSL

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
820 30 20								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 164936

Wednesday, August 09, 2017 3:44:45 PM

164936

Page 3

Item ID: D3278-2

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 9/19/2017 Start Qty: 40.00

40

Cust Item ID:

Required Date: 9/28/2017 Req'd Qty: 40.00

40

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.40

Quality Control

 ~~SEP 12 2017~~ 

170

Identify as per dwg & Stock Location: _____

0.00

170

Packaging

Memo

0.40

Packaging

LOCATION : GA

 ~~SEP 12 2017~~ 

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

4.00

Quality Control

 ~~SEP 12 2017~~ 

SEP 12 2017



DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____

Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Picklist Print

Wednesday, August 09, 2017 3:44:44 PM

Work Order ID: 164936

164936

Parent Item: D3278-2

D3278-2

Parent Item Name: Support

Start Date: 9/19/2017

Required Date: 9/28/2017

Start Qty: 40.00

Required Qty: 40.00

Comments: IPP: A04.04.19New issueKJ/JLM
IPP B 07.09.06 Rev C dwg EC Verified by: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B1.000X02.00 0		Purchased		No		100	f	39.0000	0.2337	9.84			

M6061T6B1 000X02 000

**

6061-T6 Bar 1.00 x 2.00

Location

Loc Qty

Loc Code

MAT

39

M137980

19

M138152

20

5

mf 17/09/11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed:

Date:

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

DART AEROSPACE LTD		Work Order:	164938
Description: Support		Part Number:	D3278-2
Inspection Dwg: D3278 Rev: C		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ **First Article**

 ☐ **Prototype**

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.098	+0.005/-0.000	.098	✓		Vern MI-08	
0.359	+/-0.005	.361	✓		"	
0.609	+/-0.010	.613	✓		"	
0.250	+/-0.010	.250	✓		"	
1.480	+/-0.005	1.480	✓		"	
R0.125	+/-0.010	R.125	✓		"	
0.119	+0.005/-0.004	.120	✓		"	
2.439	+/-0.010	2.439	✓		"	
1.980	+/-0.010	1.980	✓		"	
R0.13	+/-0.030	R.135	✓		"	
Ø0.257	+0.005/-0.000	Ø0.257	✓		"	
R0.375	+/-0.010	R.375	✓		"	
0.875	+/-0.010	.875	✓		"	
0.500	+/-0.010	.500	✓		"	
R0.400	+/-0.010	R.400	✓		"	
R1.00	+/-0.030	R1.000	✓		"	
1.720	+/-0.010	1.723	✓		"	
R0.125	+/-0.010	R.125	✓		R-G	
0.125	+/-0.010	.128	✓		Vern MI-08	

Measured by:	DAS 14 9-89	Audited by:	DAS 44 9-89	Prototype Approval:	N/A
Date:	17/09/11	Date:	17-09-11	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.04.19	New Issue P/O D3278-041	KJ/JLM	
B	05.06.08	0.359 was 0.365; 0.119 was 0.125	KJ/JLM	
C	07.09.26	Dimensions updated per Dwg Rev. C	KJ/EC	

DART

DESIGN 9P	DRAWN BY JC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3278	REV. C SHEET 1 OF 3
DATE 07.07.24		TITLE SUPPORT ASSEMBLY	SCALE NTS
A	04.03.03	NEW ISSUE	
B	05.03.31	CHANGE DIM/TOL TO ENSURE FIT	
C	07.07.24	CHANGED RIVETS PER PAR #185	

RELEASED
07-08-06

D3278-041 SUPPORT ASSEMBLY

D3278-3 SPACER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK COPY
NO. 164936
AUG 09 2017

MS20426AD3-6 RIVET
(4 PLACES)

D3278-1 SUPPORT

D3278-2 SUPPORT

AN4-13A BOLT (1)
AN960JD416 WASHER (2)
MS21042L4 NUT (1)
(2 PLACES)

D2230-1 CLAMP
(2 PLACES)


Qty	Part Number	Description
X	D3278-041	SUPPORT ASSEMBLY
2	D2230-1	CLAMP
1	D3278-1	SUPPORT
1	D3278-2	SUPPORT
1	D3278-3	SPACER
2	AN4-13A	BOLT
4	AN960JD416	WASHER
4	MS20426AD3-6	RIVET
2	MS21042L4	NUT

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>GP</i>	DRAWN BY <i>BC</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>B</i>	APPROVED <i>H</i>	DRAWING NO. D3278	REV. C SHEET 2 OF 3
DATE 07.07.24	TITLE SUPPORT ASSEMBLY		SCALE 1:1

RELEASED
07.08.08**D3278-1 SUPPORT (SHOWN)****D3278-2 SUPPORT (OPPOSITE)**

- 1) MACHINE PER DWG FILE "D3278-1.SLDPRT"
- 2) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
PER AMS-QQ-A-200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6B)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN 9P1	DRAWN BY BC	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED [Signature]	DRAWING NO. D3278	REV. C SHEET 7 OF 3
DATE 07.07.24	TITLE SUPPORT ASSEMBLY		SCALE 1:1

RELEASED
07.08.08



D3278-3 SPACER

- 1) MATERIAL: DELRIN II 150E OR ACETRON GP ACETAL
(REF. DART SPEC. M-DELRIN-B0.125x2.000) OR
DELRIN II 150E OR ACETRON GP ACETAL
(REF. DART SPEC. M-DELRIN-S.125)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.